



6.3	API	21
6.3.1	Header file	21
6.3.2	Database loading	21
6.3.3	Error handling	22
6.3.4	Database structure	22
6.4	Database reloading	23
6.4.1	Data scan functions	23
6.4.2	Memory	26
6.4.3	clamav-config	26
6.4.4	Example	26
6.5.72(D)-0.7CVD	format	26

8.5.5	MyCImMailFilter	44
8.5.6	OpenWebMail	44
8.5.7	QCIm	44
8.5.8	QMVC - Qmail Mail and Virus Control	45
8.5.9	Sylheed-Claws	45
8.5.10	SoftbsAV	45
8.6	<i>Grphial User9(..)-749(..)-502.74468(..)-0.93734(5)-1.87468(..)-0.93734(9)-1196.28(S)3.93724(y)-1.8</i>	
8.6		

1 Introduction



`//clamav.or.id/snapshot/`. Latest stable packages for Solaris 9 SPARC 64bit are available at <http://clamav.citrus-it.net>

- Win32/Cygwin (compiled on XP)

3.3 Adding new system user and group



```
$ cat /proc/devices | grep dazuko  
254 dazuko  
$ su -c "mknod -m 600 /dev/dazuko c 254 0"
```

4.4 Setting up auto-updating

`freshclam` is the default database updater for Clam AntiVirus. It can work in two modes:

- interactive - from command line, verbosely
- daemon - alone, silently

When started by a superuser it drops privileges and switches to the *clamav* user. `freshclam` uses the `database.clamav.net`

- **SCAN file/directory**





All the functions save a virus name under `virname` pointer. It points to a field in the





-



8.1.37 SmarterMail Filter

Homepage:













8.8.9 Scan Log Analyzer

Homepage: <http://pandaemail.sourceforge.net/av-tools/>

Supports: ClamAV

Mirror	IP	Location	Administrator
clamav.unet.brandeis.edu	129.64.99.170	USA	Elliot Kendall <ekendall*brandeis.edu>

Mirror	IP	Location	Administrator
clamav.citrin.ru	213.2	/W 1 /H 1 /85.89115(/-2.94557(2)6 1 /H 1 /05.8887(.)-2.94558(o)15.8887(.)-5.8887

9.2 Contributors

- Boguslaw Brandys <brandys*o2.pl>
-

- Wieslaw Glod <wkg*x2.pl>
- Stephen Gran <steve*lobefin.net>
- Koryn Grant <koryn*endace.com>
- Matthew A. Grant <grantma*anathoth.gen.nz>
-

-

- Matt Leyda <mfleyda*e-one.com>
- James Lick <jlick*drivel.com>
- Jerome Limozin

- Phil Oleson <oz*nixil.net>
- Jan Ondrej <ondrej*salstar.sk>
- Martin van Oosterhout <kleptog*svana.org>
- OpenAntiVirus Team (<http://www.OpenAntiVirus.org/>)
- Tomasz Papszun <tomek*lodz.tpsa.pl>
- Eric Parsonage <eric*eparg/nage.com>
- Oliver Paukstadt <pstadt*stud.fh-heilbronn.de>
- Christian Pelissier <Chrgstian.Pelissger*onera.fr>
- Rudolph Pereira <rudolph*usyd.edu.au>
- Ed Phillips <ed*UDeI.Ed>

- CJRu

•

- David Sanchez <dsanchez*veloxia.com>
- David Santinoli <david*santinoli.com>
- Vijay Sarvepalli <vssarvep*office.uncg.edu>
- Martin Schitter
- Theo Schlossnagle <jesus*omniti.com>
- Enrico Scholz <enrico.scholz*informatik.tu-cheel11[(<)-2.249(1)]TJ /R11 14z15(i)-2.2



- Explido Software USA Inc. (<http://www.explido.us/>)
-

- Interact2Day (

- Michael Nolan (<http://www.michaelnolan.co.uk/>)
- Jorgen Norgaard
- Numedea, Inc. creators of Whyville (<http://www.whyville.net/>)



-